



# PRODUCT CATALOG



*VOLVER A **NACER***



## MEDICAMENT: MELAGENINA PLUS ®

---

**Pharmaceutical Form:** Lotion.

**Presentation:** 235 mL Flask.

**Indications:** Vitiligo treatment. Skin depigmentation as a result of burns of any kind.

**Pharmacological action:** Skin pigmentation agent. It stimulates melanin synthesis by melanocytes as well as their reproduction.

**Composition:** Each 100 mL contains: 50% alcoholic extract of human placenta. calcium chloride 100mg.

**Contraindications:** No reporting.

**Interactions:** Corticosteroids, psoralens, immunosuppressives.

**Precautions:** Does not apply.

**Warnings:** Shake before using. The presence of precipitate does not affect the therapeutic activity. The product is ophthalmic irritant. Avoid eye contact. Stay out of reach of children.

**Adverse reactions:** Has no adverse local, or systemic side effects.

**Type of use:** External Use.

**Storage:** Protect from light.

**Expiration:** 3 years.



## MEDICAMENT: CORIODERMINA®

---

**Pharmaceutical Form:** Jelly.

**Presentation:** 250 g Flask.

**Indications:** Treatment of Psoriasis.

**Pharmacological action:** Regulatory agent of epidermal reproduction.

**Composition:** Each 100 g contains: human placental extract EP-100 45g. hydrosoluble excipient, e.q.

**Instructions:** Coriodermina should be applied three times a day (in the early morning, at midday and in the night) on the psoriatic flakes, spreading it gently with the fingers, without rubbing the skin or removing the flakes. The active jelly should endure 30 to 40 minutes after each application avoiding the covering of the treated areas, in order to facilitate the adequate dermic penetration. Once a day, after one of the applications (depending on your possibilities or your desire), expose every of the affected parts of the body treated to an infrared lamp (150-250 watts of intensity) placed just 40 cm from the affected sites.

**Contraindications:** No reporting.

**Interactions:** Corticosteroids, retinoids, psoralens, immunosuppressives.

**Precautions:** Does not apply.

**Warnings:** Do not look directly to the infrared light, this might hurt vision.

**Adverse reactions:** Has no adverse local, or systemic side effects.

**Type of use:** External Use.

**Storage:** Store and transport at a temperatura of 2 to 8 degrees. Protect from light.

**Expiration:** 2 years.



## NUTRIENT: **BIOPLA® Dietary Supplement**

**Pharmaceutical form:** Capsules.

**Presentation:** 40 capsules flask.

**Indications:** BIOPLA can be administered to both sexes. Protein-mineral concentrate extracted from the human placenta. Ideal for the prevention and treatment of postmenopausal osteoporosis, complicated bone fractures, anemias of any origin, intestinal malabsorption syndrome; delayed uterine growth, post-operative recoveries, burns and dental and parasitic conditions. Stimulating wound healing, hair growth and skin tone. Recommended for jobs and sports that require great physical effort.

**Pharmacological action:** Special diet food. Protein-mineral concentrate extracted from the human placenta.

**Composition:** Each 500mg capsule contains: digestible protein 369,50 mg, phosphorus 53,50 mg, calcium 31,10 mg, fat 13,00 mg, iron 643,00 mcg, zinc 262,50 mcg, copper 30,75 mcg, vitamin B2 1,25 mcg; aminoacids: glutamic acid, aspartic acid, glycine, arginine, alanine, histidine; essentials aminoacids: methionine, leucine, lysine, valine, serine, phenilalanine, threonine, tyrosine.

**Posology:** Ingest 1 capsule 2 times a day with water or fruit juice after meals.

**Contraindications:** No reporting.

**Interactions:** No reporting.

**Warnings:** Keep out the reach of children.

**Adverse reactions:** Has no adverse local, or systemic side effects.

**Type of use:** Oral Use.

**Storage:** Keep in a fresh place. Protect from light.

**Expiration:** 5 years.



## CAPILLARY LINE

---



### BIOFORTALECEDOR DEL CABELLO HAIR BIOSTRENGTHENER

---

**Pharmaceutical Form:** Lotion.

**Presentation:** 300 mL Flask.

**Action:** Stimulates hair growth and regeneration.

**Recommendations:** Alopecia areata and androgenic, psoriasis of the scalp and seborrheic dermatitis.

**Ingredients:** 25% hydroalcoholic human placenta extract.

**How to use:** Apply the product by rubbing it with a cotton swab gently over the entire surface of the scalp, from the anterior to the posterior regions, once a day. Once the application is finished, allow 30-40 minutes to allow adequate dermal penetration. Hair washing during use should be done every 3 days always using Piloactive Shampoo.

**Warnings:** Formation of a light precipitate does not alter the product action.

**Expiration:** 2 years.



### CHAMPÚ PILOACTIVO PILOACTIVE SHAMPOO

---

**Pharmaceutical Form:** Lotion.

**Presentation:** 300 mL Flask.

**Action:** Sanitizes and stimulates hair growth and regeneration.

**Recommendations:** Alopecia areata and androgenic, psoriasis of the scalp and seborrheic dermatitis.

**Ingredients:** Water, 25% hydroalcoholic human placenta extract, sodium lauryl sulfate, DEA cocamide, sodium chloride, methylparaben, citric acid, fragrance, propylparaben, ponceau red (CI 16255).

**How to use:** Apply the shampoo and massage the scalp, keep applied 2 minutes and rinse with plenty of water. Repeat if you wish.

**Warnings:** Avoid contact with eyes. If it occurs, rinse with plenty water.

**Expiration:** 2 years.

---

Placental Histotherapy Center "Dr. Carlos Manuel Miyares Cao".

1414, 43 th st, Miramar. Playa. Havana. Cuba.

e-mail: [hisplacen@miyares-cao.cu](mailto:hisplacen@miyares-cao.cu) / web-site: [www.histoterapia-placentaria.cu](http://www.histoterapia-placentaria.cu)



## ACONDICIONADOR PILOACTIVO PILOACTIVE CONDITIONER

---

**Pharmaceutical Form:** Lotion.

**Presentation:** 300 mL Flask.

**Action:** Softens, conditions and stimulates hair growth and regeneration.

**Recomendations:** Alopecia areata and androgenic, psoriasis of the scalp and seborrheic dermatitis.

**Ingredients:** Water, cetyl alcohol, arquad 1650, 25% hydroalcoholic human placenta extract, kathon, citric acid.

**How to use:** After applying the Piloactive Shampoo to damp hair, apply a portion of the conditioner from root to tip. Wait 2 to 3 minutes and rinse with plenty of water.

**Warnings** Avoid contact with eyes. If this happens, rinse with plenty of water.

**Expiration:** 2 años.



## FACIAL LINE

---



### CREMA DERMOTRÓFICA DERMOTROPHIC CREAM

---

**Pharmaceutical Form:** Cream.

**Presentation:** 50 mL Flask.

**Action:** Provides firm and sharp features and removes blemishes.

**Recomendations:** All types of skin and on the neck, hands, elbows and areas where the skin shows spots and signs of sagging and roughness.

**Ingredients:** Water, alcoholic extract from human placenta (EP-100), stearic acid, propylene glycol, cetyl alcohol, isopropyl myristate, triethanolamine, anhydrous lanolin, fragrance, methylparaben and propylparaben.

**How to use:** Apply the cream, with the help of the fingers, on the clean skin of the face and neck, making an ascending rotary massage. Include the area around the eyes. Leave applied overnight and remove by washing with soap and fresh water.

**Warnings:** Do not use as a day or night makeup base.

**Expiration:** 2 years.



### CREMA DE COLÁGENO AMNIÓTICO AMNIOTIC COLLAGEN CREAM

---

**Pharmaceutical Form:** Cream.

**Presentation:** 50 mL Flask.

**Action:** Reaffirms and reduces wrinkles and expression lines.

**Recomendations:** All types of skin and on the neck, hands, elbows and areas where the skin shows signs of sagging, dehydration and loss of freshness.

**Ingredients:** Water, stearic acid, propylene glycol, cetyl alcohol, isopropyl myristate, amniotic collagen, triethanolamine, anhydrous lanolin, fragrance, methylparaben and propylparaben.

**How to use:** Apply the cream, with the help of the fingers, on the clean skin of the face and neck, making an ascending rotary massage. Include the area around the eyes. Leave applied overnight and remove by washing with soap and fresh water.

**Warnings:** Do not use as a day or night makeup base.

**Expiration:** 2 years.

---

Placental Histotherapy Center "Dr. Carlos Manuel Miyares Cao".

1414, 43 th st, Miramar. Playa. Havana. Cuba.

e-mail: [hisplacen@miyares-cao.cu](mailto:hisplacen@miyares-cao.cu) / web-site: [www.histoterapia-placentaria.cu](http://www.histoterapia-placentaria.cu)



## JABÓN BIOACTIVANTE DÉRMICO DERMAL BIOACTIVANT SOAP

**Pharmaceutical Form:** Tablet.

**Presentation:** 100 g.

**Action:** Sanitizes, moisturizes and nourishes.

**Recomendations:** Rough and dry skin that flakes easily, flaccid or affected by cellulite.

**Ingredients:** 1% alcoholic human placenta extract, 1 (EP-100), excipients.

**How to use:** Wet the body surface with water, preferably warm, and then rub the Dermal Bioactive Soap pill between your hands until you get abundant foam, gently rubbing it with your fingers in the form of a circular massage through the body, insisting where it presents flaccidity or roughness. Keep the soap applied on the surface of your body for a few minutes and rinse again with a warm water shower to remove any remaining foam.

**Warnings:** Avoid contact with eyes. If it occurs, rinse with plenty water.

**Expiration:** 2 years.



## MAQUILLAJE FLUIDO FLUID MAKEUP

**Pharmaceutical Form:** Maquillaje.

**Presentation:** 50 mL Flask.

**Action:** Provides natural appearance and pigmentation.

**Recomendations:** Skins with pigmentation deficiency.

**Ingredients:** Water, mineral oil, propylene glycol, isopropyl lanolate, stearic acid, propylene glycol stearate, DEA-Cetyl phosphate, triethanolamine, dimethicone, talc, carbomer, methylparaben, propylparaben, BHT, ascorbyl palmitate, glyceryl stearate, citric acid, fragrance, 50% human placenta extract concentrate. May Contain: titanium dioxide, red iron oxide, yellow iron dioxide, black iron oxide.

**How to use:** Apply with fingertips in depigmented areas by spreading it evenly. It is important to remove the Liquid Makeup daily before a new application.

**Warnings:** Avoid contact with eyes. If it occurs, rinse with plenty water.

**Expiration:** 1 year.





## LOCIÓN PARA DESPUÉS DE AFEITAR AFTER SHAVE LOTION

---

**Pharmaceutical Form:** Lotion.

**Presentation:** 250 mL Flask.

**Action:** Moisturizes and refreshes the skin.

**Recomendations:** Freshly shaved skin.

**Ingredients:** Alcohol, water, umbilical cord extract pretreated (containing hyaluronic acid), fragrance, solution 2% aqueous dye E-131 (CI 42051) and menthol.

**How to use:** Apply with your hands once the face, armpits or legs have been shaved. After applying the lotion the skin is left with a sensation of moisturization and pleasant freshness.

**Warnings:** Avoid contact with eyes. If it occurs, rinse with plenty water.

**Expiration:** 2 years.



## BODY LINE



### GEL BIOACTIVANTE DÉRMICO DERMAL BIOACTIVANT GEL

**Pharmaceutical Form:** Gel.

**Presentation:** 250 mL Flask.

**Action:** Moisturizes, revitalizes, nourishes and reaffirms.

**Recommendations:** Rough and dry skin that flakes easily, flaccid or affected by cellulite.

**Ingredients:** Purified water, placental extract ep-100, ethylic alcohol, glycerin, carboxymethylcellulose sodium, methylparaben, propylparaben.

**How to use:** Before applying the Dermal Bioactivating Gel on your body, wash the skin with warm water and soap. Spread the gel with the fingertips doing a gentle circular massage.

**Warnings:** Avoid contact with the eyes. If this occurs, rinse with plenty of water.

**Expiration:** 2 years.



### GEL HIDRATANTE DÉRMICO DERMAL MOISTURIZING GEL

**Pharmaceutical Form:** Gel.

**Presentation:** 250 mL Flask.

**Action:** Moisturizes and softens.

**Recommendations:** Dry and inflamed skin.

**Ingredients:** Ethylic alcohol, water, glycerine, magnesium sulfate, carboxymethylcellulose, methylparaben, propylparaben.

**How to use:** Apply the gel in the form of a thin film with the fingertips, on the body surface without rubbing.

**Warnings:** Avoid contact with the eyes. If this occurs, rinse with plenty of water.

**Expiration:** 2 years.

Placental Histotherapy Center "Dr. Carlos Manuel Miyares Cao".

1414, 43 th st, Miramar. Playa. Havana. Cuba.

e-mail: [hisplacen@miyares-cao.cu](mailto:hisplacen@miyares-cao.cu) / web-site: [www.histoterapia-placentaria.cu](http://www.histoterapia-placentaria.cu)



## GEL FOTOPROTECTOR PHOTOPROTECTIVE GEL

**Pharmaceutical Form:** Gel.

**Presentation:** 250 mL Flask.

**Action:** Protects from solar radiation and favors tanning.

**Recommendations:** Daily protection from solar radiation SPF 11 and natural tan,

**Ingredients:** Alcoholic extract from human umbilical cords, water, glycerin, sodium carboxymethylcellulose, methylparaben and propylparaben.

**How to use:** Gently apply the gel to the skin on the entire surface of the body 30 minutes before being exposed to the action of the sun's rays. Reapply after sweating profusely.

**Warnings:** Avoid contact with the eyes. If this occurs, rinse with plenty of water.

**Expiration:** 2 years.



## GEL DE BAÑO BIOACTIVANTE DÉRMICO DERMAL BIOACTIVATING BATH GEL

**Pharmaceutical Form:** Gel.

**Presentation:** 250 mL Flask.

**Action:** Sanitizes, moisturizes and nourishes.

**Recommendations:** Rough and dry skin that flakes easily, flaccid or affected by cellulite.

**Ingredients:** Water, sodium laureth sulfate, glycerin, sodium chloride, cocamide DEA, glycol diestearate and sodium laureth sulfate and cocamide MEA and laureth-10, placental extract EP-100, citric acid solution 40%, Methylchloroisothiazolinone/Methylisotiazolinone, fragrance.

**How to use:** Apply a portion of Bath Gel on to hand and rubbing it softly on all the face and body surface, previously wet, massaging softly until a uniform lather is formed. Rinse with plenty water.

**Warnings:** Avoid contact with eyes. If it occurs, rinse with plenty water.

**Expiration:** 2 years.



## CREMA HUMECTANTE MOISTURIZING CREAM

**Pharmaceutical Form:** Cream.

**Presentation:** 250 mL Flask.

**Action:** Moisturizes and nourishes.

**Recommendations:** Flaccid skin or affected by cellulite.

**Ingredients:** Alcoholic extract of human placenta (EP-100) and water-soluble excipient.

**How to use:** The skin needs to be perfectly cleansed before applying Moisturizing Cream. Therefore, pre-wash the skin of the body with warm water and soap. Then apply the cream with the help of your fingers on the body surface.

**Warnings:** Avoid contact with eyes and mucous membranes.

**Expiration:** 2 years.



## LOCIÓN PIGMENTANTE PIGMENTING LOTION

**Pharmaceutical Form:** Lotion.

**Presentation:** 125 mL Flask.

**Action:** Restoring pigmentation.

**Recommendations:** Pigmented deficiency skin.

**Ingredients:** 50% Alcoholic extract of human placenta, calcium chloride.

**How to use:** It restores the pigmentation of the skin.

**Warnings:** Avoid contact with eyes. If it occurs, rinse with plenty water.

**Expiration:** 2 years.



## BIOFORTALECEDOR DE UÑAS NAIL BIOSTRENGTHENER

---

**Pharmaceutical Form:** Lotion.

**Presentation:** 15 mL Flask.

**Action:** Strengthens and stimulates nail growth.

**Recomendations:** Fragile and brittle nails.

**Ingredients:** Alcohol, water, hydroalcoholic extract of pretreated human placenta.

**How to use:** Apply twice a day to the area near the visible portion of the nails.

**Expiration:** 2 years.